








# Moving Head Beam Light

## TL-SL183



### Feature:

- \* Optics: high-precision glass optical lens, multi-level optical lens group electronic focusing, and linear magnification function.
- \* Dimming: 0-100% linear adjustment.
- \* Color panel: a color panel consists of 9 color gobos.
- \* Fixed pattern panel: 10 fixed pattern plate + 1 white light.
- \* Rotating pattern panel: 7 replaceable pattern plate + white light (pattern diameter 21.8mm, effective aperture 18mm).
- \* Prism: a rotating 4-sided prism with moving effects.
- \* Strobe: 0-25Hz/s, synchronous pulse strobe, and random pulse strobe.
- \* Atomization: 1 independent atomization effect with soft and natural light spot.
- \* Scan range: X-axis 540° (16bit precise scanning); Y-axis 270° (16bit precise scanning).
- \* Motor: 3-phase motor.

### Specifications:

Model	TL-SL183
Input voltage	AC110V-240V 50/60Hz, 250W
Light source	200W LED
Average lifespan	50000H
Color temperature	6500K
Beam angle	7-27°
Control mode	DMX512, master-slave, voice control and self-propelled mode
Channel	18 channels
Fixture material	High temperature resistant plastic + molded alloy material
Protection level	IP20
Fixture size (L×W×H)	343×239×537mm
Package size (L×W×H)	400×330×680mm
Gross weight	18.6kg
Net weight	15.2kg